

Tough In Cooling Easy To Handle...



No Frost Convertible Chest Freezer / Chillers



FROZCULINA is proud to introduce India's First No-Frost Chest Freezers in India. Ideal for homes, medicine shops, high traffic stores and busy restaurants, this unmatched feature makes manual defrosting a thing of the past. This pioneering product also features precise temperature control, a digital temperature indicator and a full set of baskets for segregated, easy-to-access loading while the multidimensional air flow ensures uniform cooling inside the cabinet.

Self-adaptive frost system

- Precise temperature control
- Multi-dimensional wind circulation
- Embedded handle
- Digital temperature indicator
- 2 baskets for NF-150 and 4 baskets for NF-300



Conventional 2-in-1 Convertible Freezers / Chillers

FROZCULINA offers 2-in-1 hard top chest freezers conveniently double up as chillers at the turn of a knob and are available in a wide variety of sizes ranging from 100 to 820 litres (Except 400L) to suit every conceivable need. You can also choose between single, double and three lid variants.



Single Lid Model

- CF - 110
- CF-220
- CF-300

Double Lid Model

- CF - 350 2D
- CF-400 2D(Non-Convertible to Chiller)
- CF-440 2D
- CF-500 2D
- CF-550 2D
- CF-700 2D

Three Lid Model

- CF - 820 3D

Technical Specifications - Chest Freezers



Specification	No Frost Freezers					Chest Freezers						
	NF-150	NF-300	CF-110	CF-220	CF-300	CF-350-2D	CF-400-2D	CF-440-2D	CF-500-2D	CF-550-2D	CF-700-2D	CF-820-3D
Gross Volume (Litres)	145	285	100	200	276	345	400	400	470	550	680	820
w*d*h (mm)	714*550*903	1104*550*903	559*554*845	860*580*835	1104*554*845	1160*640*835	1304*670*830	1256*710*880	1523*725*842	1683*710*880	1843*725*842	2415*725*842
Temperature Range	≤-20°C	≤-20°C	+2°C -20°C	+2°C -20°C	+2°C -20°C	+2°C -20°C	≤-20°C	+2°C -20°C	+2°C -20°C	+2°C -20°C	+2°C -20°C	+2°C -20°C
Power (W)	97	97	87	120	115	325	270	270	253	325	305	355
Refrigerent	R 290	R 290	R 134a	R 134a	R 134a	R 134a	R 134a	R 290	R 134a	R 290	R 134a	R 134a
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	No Frost	No Frost	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
No. of Lids / Doors	1	1	1	1	1	2	2	2	2	2	2	3
No. of Baskets	2	4	1	1	1	1	2	2	2	2	2	2
Wheels / Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development

Dual Temperature Freezer / Chiller

FROZCULINA offers Dual temp freezers/chillers have two segregated storage compartments – ideal for storing ice-creams & frozen foods in one and dairy products or beverages in the other.

Milk / Bottle Chiller

FROZCULINA offers Milk Chillers come with a food-grade stainless steel inner compartment that allows for optimum temperature management of pre-refrigerated milk. The product is suitable for chilled milk to be poured directly into the tank. It is also suitable for storing & chilling bottled beverages and other food-stuff.



Models Available

- DT-350
- DT-500



Models Available

- BC-400-2D-SS



Chest Showcase Freezer



CFC Free



Large Cooling Power

FROZCULINA Flat Glass Freezers, Curved Glass Freezers and Island Freezers are a retailer's delight and come with fully loaded baskets for easy access & convenient segregation of frozen food.

Flat Glass Top Freezer



Models Available

- GT-100 (With 1 Basket)
- GT-200 (With 1 Basket)
- GT-310 (With 3 Baskets)
- GT-350 (With 4 Baskets)
- GT-410 (With 4 Baskets)
- GT-450 (With 4 Baskets)

Curved Glass Top Freezer



Models Available

- CGT-300 (With 3 Baskets)
- CGT-400 (With 3 Baskets)
- CGT-625 (With 9 Baskets
18 Separators)

Island Freezer



Models Available

- IL-450 (With 4 Baskets)
- IL-660 (With 6 Basket)

Technical Specifications



Specification	Dual Temp Freezers		Milk Chiller	Flat Glass Top Freezers						Curved Glass Top Freezers			Island Freezers	
	DT-350	DT-500	BC-400-2D-SS	GT-100	GT-200	GT-310	GT-350	GT-410	GT-450	GTC-330	GTC-400	GTC-625	IL-450	IL-660
Gross Volume (Litres)	190F/150C*	320F/160C*	360	100	200	310	350	410	450	330	400	610	450	660
w*d*h (inches)	53x24x33	61x30x36	50x26x33	23x21x33	37x21x33	39x27x33	43x28x33	49x27x33	52x28x33	41x26x35	49x26x35	71x27x34	70x29x33	74x32x34
Temperature Range	+2°C -20°C	+2°C -20°C	2~10°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C	≤-20°C
Power (W)	140	233	233	133	210	300	325	360	375	215	325	240	355	380
Refrigerent	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R134a	R290	R290	R134a
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual
No. of Lids / Doors	2	2	2	2	2	2	2	2	2	2	2	2	2	2
No. of Baskets	1	1		1	1	3	4	4	4	3	3	9	4	6
Wheels / Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Electricals: 220V/50Hz/1 Phase

Specifications are subject to change without prior notice due to continuous product development

*F = Freezer, C = Chiller

VISI COOLERS

FROZCULINA brings to India a contemporary range of merchandising solutions that help you increase your sales by showing food at its very best. Innovative cooling options suitable for small and large supermarkets as well as food stores.

Single Door Visi Cooler

These single door models come in an elegant white body and matching door frame and provide a pleasing view of the displayed foodstuff – be it beverages, dairy products or any other items and are available in 50, 100, 220, 300, 320, 400, 440 and 600 litre capacities.

2 Doors / 3 Doors Visi Cooler

These double door models also come in an elegant white body and matching door frame/s and are ideal for displaying beverages, dairy products and more and are available in 1000 and 1500 litre capacities.

3 Doors Visi Cooler / Freezer Combo:

This unique 3 door product has a multi-function utility with two separate compartments for cooling (750 ltrs) and freezing (350 litres) and are ideal for displaying beverages, dairy products as well as ice creams and frozen products. It comes with 2 compressors and 2 controllers.



VC-50 VC-100 VC-220 SVC-300 VC-320 VC-440 VC-600 NF



VC-700 NF VC-1500 NF VCF-1200 NF VF-100 SVF-300 VF-400 VF-1000
VC-1000 NF



SCO-1590 GG-900LH GG-700 PMD-1200, PMD-1800

Deli Counter

FROZCULINA offers stylish serve over counters for display of a variety of foodstuff including delicatessens, dairy products, sausages, meat and poultry that ensure maximum visibility in a pleasing manner. The front glass can be lifted for cleaning.

Visi Freezer

FROZCULINA upright visi freezers are known for their reliability. VF 100 comes in an elegant champagne colour and the rest in an elegant white coloured body and provide a pleasing view of the displayed foodstuff – be it ice creams or any other packaged frozen food. You can choose between three models that are available in 100, 200, 400 and 1000 litre capacities and are fitted with LED lights to enhance the quality of display. VF 200, 300, 400 & 1000 come a ventilated cooling system with automatic defrost.

Plug In Multideck Chillers

FROZCULINA offers Open Multidecks with air curtains are suitable for display of fruits, vegetables, dairy products, beverages etc. Four different models are available in widths of 700mm, 1200 mm and 1800 mm in full height and 900 mm in a low height version.

Technical Specifications



Product	Model	wxdxh (In mm)	Capacity (In Ltrs)	Temperature (In °C)	Refrigerant	Rated Current	Compressor	Defrost	Shelves
Grab-n-Go Open Chiller - Tall	GG-700	700x670x2000	320L	+2+8	R404a	5.5A	secop	Downtime defrosting	4
Grab-n-Go Open Chiller - Low Height	GG-900LH	900x740x1400	380L	+2+8	R404a	4.5A	secop	Downtime defrosting	2
Plug In Multideck Chiller	PMD-1200	1200x670x2000	548L	+2+8	R404a	5.5A	secop	Downtime defrosting	4
Plug In Multideck Chiller	PMD-1800	1800x670x2000	822L	+2+8	R404a	10A	secop	Downtime defrosting	4
Deli Counters	SOC-1590	1590x918x1230	380L	+2+2	R404a	-	secop	-	-

Electricals: 220V/50Hz/Single Phase

Specifications are subject to change without prior notice due to continuous product development

Technical Specifications of Visi Coolers & Visi Freezers

Specification	Gross Volume (Litres)	w x d x h (inches)	Temperature Range	Power (w)	Lock	Defrost	No. of Lids / Doors	No. of shelves	Interior Light	Wheels / Castors	No. of Compressors	Refrigerant
VC-50	50	18 x 20 x 20	0-10°C	65	Yes	Yes	1	2	LED light	Yes,4	1	R134a
VC-100 (New)	100	18 x 20 x 33	0-10°C	65	Yes	Yes	1	4	LED light	Yes,4	1	R134a
VC-220	220	21 x 21 x 62	0-10°C	67.9	Yes	Yes	1	3	Normal light	Yes,4	1	R600a
VC-320	280	21 x 24 x 68	0-10°C	170	Yes	Automatic	1	4	Yes / 2LEDs	Yes	1	R134a
SVC-300	200	17 x 21 x 73	0-10°C	225	No	Automatic	1	5	Yes / 1	No	1	R134a
VC-440	440	24 x 23 x 77	0-10°C	170	Yes	Automatic	1	5	Yes / 2LEDs	Yes	1	R134a
VC-600NF	530	28 x 27 x 82	0-10°C	310	Yes	Auto	1	5	1 LED	4	1	R134a
VC-700NF	568	35 x 24 x 78	1-10°C	410	Yes	Automatic	2	10	Yes / 2LEDs	Yes	1	R134a
VC-999NF	890	41 x 19 x 69	0-10°C	475	Yes	Auto	2	10	2 LED	4	1	R134a
VC-1000NF	1000	44 x 27 x 82	1-10°C	470	Yes	Automatic	2	10	Yes / 2LEDs	Yes	1	R134a
VC-1500NF	1506	71 x 27 x 82	1-10°C	875	Yes	Automatic	3	15	Yes / 5LEDs	Yes	1	R134a
VCF-1200NF	1100	52 x 27 x 82	1-8°C / ≤-18°C	970	Yes	Automatic	3	15	Yes / 3LEDs	Yes	2	R404a
VF-100	100	24 x 21 x 33	≤-22°C	140	NO	Yes	1	2	LED light	Yes,4	1	R290a
SVF-300	200	17 x 21 x 73	-18°C	225	No	Automatic	1	5	Yes / 1LED	No	1	R290a
VF-400	400	26 x 28 x 78	-18°C ~ -22°C	570	Yes	Automatic	1	5	Yes / 2LEDs	Yes	1	R404a
VF-1000	950	48 x 28 x 78	-18°C ~ -22°C	1100	Yes	Automatic	2	10	Yes / 2LEDs	Yes	1	R404a

Electricals: 220V/50Hz/1 Phase Specifications are subject to change without prior notice due to continuous product development

CONFECTIONERY DISPLAY

Show off your
Masterful Creation in Style



Why Trufrost confectionery showcases are miles ahead?

If the display in your showcases looks anything like the showcase shown on the top right, it is time you looked for an upgrade to Trufrost. Our display cases come with an advanced, double tempered and heated front glass that enhances visibility and prevents unhygienic condensation as would be experienced in conventional display cases. This coupled with a reliable ventilated refrigeration system and an auto defrost ensures uniform cooling which means that your food stuff – be it the Bengali mithais or exotic cheesecakes, can stay fresh, longer.



Curved Glass



Flat Glass



Temptation-44



Breeze



Crystal Tower



Diva - 900



Pull-out Drawers



CTW-4



CTR-23



Mini Tower

Counter - Top

Technical Specifications - Confectionery Showcases



Model	Product	No. of Layers		Dimensions W*D*H (mm)	Volume (Litres)	Temperature Range (°C)	Front Glass	Refrigerant	Power (Watts)
		No.	Description						
Crystal Tower	4 Side Glass Panoramic Cake Showcase	5	Base + 4 shelves	515*485*1895	280	2~12	Double Glass	R 134a	400
Temptation 44	Inclined Glass 4 Layer Cake Showcase	4	Base + 3 shelves	1200*730*1300	480	2~8	Heated	R 134a	450
CSF 34	Flat Glass 4 Layer Cake Showcase	4	Base + 3 shelves	900*730*1300	390	2~8	Heated	R 134a	450
CSF 43	Flat Glass 3 Layer Cake Showcase	3	Base + 2 shelves	1200*730*1200	459	2~8	Heated	R 134a	450
CSF 44	Flat Glass 4 Layer Cake Showcase	4	Base + 3 shelves	1200*730*1300	530	2~8	Heated	R 134a	450
CSF 53	Flat Glass 3 Layer Cake Showcase	3	Base + 2 shelves	1500*730*1200	580	2~8	Heated	R 134a	450
CSF 54	Flat Glass 4 Layer Cake Showcase	4	Base + 3 shelves	1500*730*1300	670	2~8	Heated	R 134a	450
CS 43	Curved Glass 3 Layer Cake Showcase	3	Base + 2 shelves	1200*730*1200	459	2~8	Heated	R 134a	450
CS 44	Curved Glass 4 Layer Cake Showcase	4	Base + 3 shelves	1200*730*1300	530	2~8	Heated	R 134a	450
GG-900LH	Grab-n-Go Open Chiller - Low Height	3	Base + 2 shelves	900*740*1400	380	2~8	-	R 404a	500
Diva 900	Chocolate & Confectionery Counter with Drawers	1	2 Pullout Drawers	900*850*1030	160	2~10	Heated #	R 134a	500
CTR-23	Countertop 3 Layer Cake Showcase	3	Base + 2 shelves	660*530*730	68	2~8	Heated	R 134a	160
CTSR-23	Countertop 3 Layer Square Glass Cake Showcase	3	Base + 2 shelves	660*530*730	68	2~8	Heated	R 134a	160
Mini Tower	Desk Top Tall Display Refrigerator	4	Base + 3 shelves	430*390*986	78	2~12	Double Glass	R 134a	180
CTW-23	Countertop 3 Layer Warm Showcase	3	Base + 2 shelves	660*530*730	68	40~65	-	-	450
CTSW-23	Countertop 3 Layer Square Glass Warm Showcase	3	Base + 2 shelves	660*530*730	68	40~65	-	-	450
CTW-4	Countertop Warm Display Case	1	4 x GN 1/3 pans	773*420*336	67	30~90	-	-	500
WSF 54	Flat Glass 4 Layer Warm Showcase	4	Base + 3 shelves	1500*730*1300	670	40-65	-	-	450

Electricals: 220V/50Hz/Single Phase

Specifications are subject to change without prior notice due to continuous product development

Top glass also heated

A-409, Kailas Business Park, CTS No. - 1/7&1/8 A, Veer Savarkar Road, Park Site,
Vikhroli (W), Mumbai - 400 079 (India).

Mobile: +91 81080 15007

E-mail: kiran.k@frozculina.com

www.frozculina.com

We Are Here, As YOU Matter the MOST!

